

April 12, 2019

Requests for Sealed Quotes

The city of Scranton Police Department is seeking sealed quotes for a finished concrete floor inside a 30' X 40' newly constructed pole barn at the rear of Scranton Police Headquarters at 100 S. Washington Avenue Scranton, Pa. 18503

The minimum specifications for this project are as follows:

Minimum 3" depth compacted gravel subbase inside the 30' X 40' pole barn.

Minimum 3" depth X 36" width of loose gravel placed around the perimeter of the structure. Gravel must be sloped away from the structure.

Minimum 6" concrete slab using a minimum of 4000 PSI concrete mix.

Expansion joint placed at mid-span running 40 foot dimension.

Control joints @ 20 feet, running traverse (i.e. in the 30- foot "short" direction).

Apply a heavy broom finish.

Contractor must remove excess materials and debris.

The successful bidder must already possess or obtain a license (city hall license and inspections dept.) to complete this work within the city of Scranton. Contractor is also responsible for construction permit(s) and any required site inspections of the work.

Interested bidders are welcome to survey the site from now until the bids are opened on April 29, 2019. The site location is the rear lot of Scranton Police Headquarters at 100 S. Washington Avenue Scranton, Pa. 18503

All sealed quotes received will be opened in the City Controller's Office on Monday April 29, 2019 at 11:00 am. The lowest responsible bid will be selected from all sealed quotes submitted. Quotes that arrive unsealed will not be considered.

Sealed quotes must be hand delivered or mailed directly to:

City of Scranton
Controller's Office
340 North Washington Avenue
Scranton, Pa. 18503